



## Detailed Summary Tables— Central/Piedmont Region (Region 2)\*

*North Carolina Youth Tobacco Survey 2011*

*Middle School and High School Tables*

N.C. Department of Health and Human Services

Surveillance and Evaluation Team

Tobacco Prevention and Control Branch

Department of Health and Human Services

1932 Mail Service Center

Raleigh, NC 27699-1932

919-707-5400

[www.tobaccopreventionandcontrol.ncdhhs.gov](http://www.tobaccopreventionandcontrol.ncdhhs.gov)

\*Central/Piedmont Region (Region 2) includes the following counties---

Alamance, Anson, Cabarrus, Caswell, Chatham, Cumberland, Davidson, Davie, Durham, Forsyth, Franklin, Gaston, Granville, Guilford, Harnett, Hoke, Iredell, Lee, Lincoln, Mecklenburg, Montgomery, Moore, Orange, Person, Randolph, Richmond, Robeson, Rockingham, Rowan, Scotland, Stanly, Stokes, Surry, Union, Vance, Wake, and Yadkin counties.

State of North Carolina | Beverly Perdue, Governor

Department of Health and Human Services

Albert Dalia, Acting Secretary

[www.dhhs.state.nc.us](http://www.dhhs.state.nc.us)

N.C. DHHS is an equal opportunity employer and provider. 04/12

### **List of Middle School Tables**

Table MS-1	Percentage of middle school students who report ever using* any tobacco product (cigarettes, cigars, smokeless tobacco, pipes, bidis, kreteks) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .
Table MS-2	Percentage of middle school students who report current use of any tobacco product (cigarettes, cigars, smokeless tobacco, pipes, or bidis) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .
Table MS-3	Percentage of middle school students who report current use* of emerging tobacco products: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .
Table MS-4	Percentage of middle school students who report first using* cigarettes before 11 years of age and ever smoking 100 cigarettes in their lifetime, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .
Table MS-5	Percentage of middle school students who are current smokers who report usually smoking menthol cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .
Table MS-6	Percentage of middle school students who report frequently using* cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .
Table MS-7	Percentage of middle school current smoking students who report their primary sources of cigarettes, by social source, direct purchase, and other sources: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .
Table MS-8	Percentage of middle school students who report smoking intentions, perceptions about smoking, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .
Table MS-9	Percentage of middle school students who report media and advertising influence regarding tobacco, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .
Table MS-10	Percentage of middle school students who report exposure to anti-tobacco education in school in the past year, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .
Table MS-11	Percentage of middle school never smoking students who report they were in their home or a car with someone who was smoking on 1 of the past 7 days, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .
Table MS-12	Percentage of middle school current smoking students who report quitting perceptions, intention to quit and cessation practices, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .
Table MS-13	Percentage of middle school never and current smoking students who report smoking perceptions, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .

### **List of High School Tables**

Table HS-1	Percentage of high school students who report ever using* any tobacco product (cigarettes, cigars, smokeless tobacco, pipes, bidis, kreteks) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .
Table HS-2	Percentage of high school students who report current use of any tobacco product (cigarettes, cigars, smokeless tobacco, pipes, or bidis) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .
Table HS-3	Percentage of high school students who report current use* of emerging tobacco products: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .
Table HS-4	Percentage of high school students who report first using* cigarettes before 11 years of age and ever smoking 100 cigarettes in their lifetime, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .
Table HS-5	Percentage of high school students who are current smokers who report usually smoking menthol cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .
Table HS-6	Percentage of high school students who report frequently using* cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .
Table HS-7	Percentage of high school current smoking students who report their primary sources of cigarettes, by social source, direct purchase, and other sources: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .
Table HS-8	Percentage of high school students who report smoking intentions, perceptions about smoking, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .
Table HS-9	Percentage of high school students who report media and advertising influence regarding tobacco, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .
Table HS-10	Percentage of high school students who report exposure to anti-tobacco education in school in the past year, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .
Table HS-11	Percentage of high school never smoking students who report they were in their home or a car with someone who was smoking on 1 of the past 7 days, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .
Table HS-12	Percentage of high school current smoking students who report quitting perceptions, intention to quit and cessation practices, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .
Table HS-13	Percentage of high school never and current smoking students who report smoking perceptions, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .

**TABLE MS-1. Percentage of middle school students who report ever using\* any tobacco product (cigarettes, cigars, smokeless tobacco, pipes, bidis, kreteks) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .**

	<b>Any tobacco</b>	<b>Cigarettes</b>	<b>Cigars</b>	<b>Smokeless tobacco</b>	<b>Pipes</b>	<b>Bidis/ Kreteks</b>
<b>Gender</b>						
Female	22.3(±4.0)†	15.5(±2.7)	8.6(±2.3)	5.1(±2.0)	4.7(±1.6)	2.8(±1.2)
Male	24.5(±4.1)	16.2(±3.8)	11.5(±2.5)	7.7(±3.4)	5.3(±1.6)	4.3(±1.8)
<b>Grade</b>						
Sixth	11.8(±3.3)	6.8(±2.3)	5.2(±2.4)	2.6(±1.8)	2.3(±1.4)	2.1(±1.0)
Seventh	24.8(±3.9)	16.0(±3.4)	10.1(±2.2)	8.1(±2.9)	6.2(±1.5)	4.2(±1.8)
Eighth	34.0(±6.3)	24.9(±5.4)	15.1(±3.6)	8.7(±3.6)	6.4(±2.6)	4.5(±2.3)
<b>Race/ethnicity</b>						
White	21.1(±4.9)	14.7(±3.7)	8.5(±2.3)	8.3(±3.9)	5.5(±1.1)	2.8(±1.3)
Black	24.9(±2.7)	16.7(±2.6)	10.4(±2.6)	3.7(±1.4)	4.0(±2.1)	4.0(±1.6)
Hispanic	26.1(±4.6)	18.1(±3.2)	13.2(±2.3)	4.8(±2.5)	6.6(±1.9)	5.1(±2.3)
Other	30.0(±11.8)	20.6(±14.4)	15.9(±9.1)	10.8(±4.8)	4.4(±2.5)	4.2(±3.0)
<b>Total</b>	<b>23.4(±3.6)</b>	<b>15.9(±2.6)</b>	<b>10.1(±2.0)</b>	<b>6.4(±2.4)</b>	<b>5.0(±1.2)</b>	<b>3.6(±1.0)</b>

\*Ever use of cigarettes was determined by asking, "Have you ever tried cigarette smoking, even one or two puffs?" Ever use of cigars was determined by asking, "Have you ever tried smoking cigars, cigarillos, or little cigars, even one or two puffs?" Ever use of smokeless tobacco was determined by asking, "Have you ever used chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?" † Ninety-five percent confidence interval.

**TABLE MS-2. Percentage of middle school students who report current use of any tobacco product (cigarettes, cigars, smokeless tobacco, pipes, or bidis) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .**

	Any tobacco*	Cigarettes	Cigars	Smokeless tobacco	Pipes	Bidis	Kreteks
<b>Gender</b>							
Female	5.1(±1.8)†	3.4(±1.5)	2.5(±1.3)	1.3(±0.8)	1.8(±1.0)	1.2(±0.8)	1.4(±0.9)
Male	7.0(±2.5)	3.4(±1.5)	2.8(±1.2)	2.9(±1.5)	2.1(±0.9)	0.6(±0.5)	1.1(±0.6)
<b>Grade</b>							
Sixth	1.7(±1.4)	1.0(±1.3)	0.7(±0.5)	0.4(±0.5)	0.7(±0.7)	0.4(±0.5)	0.3(±0.4)
Seventh	6.0(±1.8)	2.7(±1.1)	2.3(±1.3)	2.7(±1.1)	2.2(±1.0)	1.0(±0.5)	1.6(±0.6)
Eighth	10.8(±4.0)	6.6(±3.3)	4.9(±1.8)	3.3(±1.9)	3.0(±1.3)	1.3(±0.9)	1.9(±1.1)
<b>Race/ethnicity</b>							
White	6.6(±2.3)	3.8(±1.4)	2.4(±1.4)	3.0(±1.3)	1.9(±1.0)	1.0(±0.7)	1.1(±0.7)
Black	3.9(±2.1)	2.2(±1.4)	2.1(±1.5)	0.4(±0.6)	0.7(±0.7)	0.1(±0.2)	0.1(±0.2)
Hispanic	8.0(±3.0)	3.5(±2.0)	4.9(±1.4)	2.5(±1.6)	4.2(±2.5)	2.3(±1.3)	3.6(±2.2)
Other	9.2(±6.6)	5.6(±5.4)	4.1(±3.0)	3.3(±2.4)	3.5(±2.7)	1.9(±1.9)	2.9(±2.3)
<b>Total</b>	<b>6.1(±1.9)</b>	<b>3.4(±1.2)</b>	<b>2.7(±1.1)</b>	<b>2.1(±0.9)</b>	<b>2.0(±0.7)</b>	<b>0.9(±0.4)</b>	<b>1.3(±0.6)</b>

\*Current use of cigarettes or cigars or smokeless tobacco or pipes or bidis or kreteks on 1 of the 30 days preceding the survey.

† Ninety-five percent confidence interval.

**TABLE MS-3. Percentage of middle school students who report current use\* of emerging tobacco products: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .**

	<b>Current Use</b>
Roll-Your-Own Cigarettes	2.5(±0.8)†
Flavored Cigarettes	1.3(±0.7)
Clove Cigars	0.4(±0.3)
Flavored Little Cigars	1.1(±0.6)
Hookah/Waterpipe	0.7(±0.4)
Snus	0.9(±0.4)
Dissolvables (e.g. orbs, strips, sticks)	0.4(±0.3)
Electronic Cigarettes	0.8(±0.4)
Other new product	1.5(±0.5)
Percent of current smokers using at least one of the above products	73.6(±12.5)

\*Current use defined as use on one or more of the past 30 days.)

† Ninety-five percent confidence interval.

**TABLE MS-4. Percentage of middle school students who report first using\* cigarettes before 11 years of age and ever smoking 100 cigarettes in their lifetime, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .**

	<b>Ever smokers who smoked first whole cigarette before age 11</b>	<b>Ever smokers who smoked 100+ cigarettes in their lifetime</b>
Gender		
Female	36.5(±8.4)†	4.1(±3.0)
Male	42.1(±8.5)	6.1(±4.3)
Grade		
Sixth	60.7(±17.8)	3.5(±6.5)
Seventh	46.7(±12.4)	5.2(±3.6)
Eighth	28.8(±5.5)	5.1(±4.0)
Race/ethnicity		
White	42.6(±9.3)	4.5(±3.5)
Black	28.8(±11.3)	3.3(±4.8)
Hispanic	50.7(±12.1)	8.3(±4.6)
Other	54.2(±22.2)	14.7(±8.1)
<b>Total</b>	<b>39.4(±6.6)</b>	<b>5.1(±2.6)</b>

\*Age of initiation was determined by asking students these questions: "How old were you when you smoked a whole cigarette for the first time?"

† Ninety-five percent confidence interval.

**TABLE MS-5. Percentage of middle school students who are current smokers who report usually smoking menthol cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .**

	<b>Usually smokes menthol cigarettes</b>
Gender	
Female	48.2(±18.7)†
Male	31.6(±17.4)
Grade	
Sixth	0.0(±0.0)
Seventh	38.6(±22.1)
Eighth	47.7(±10.1)
Race/ethnicity	
White	54.2(±11.8)
Black	0.0(±0.0)
Hispanic	32.5(±25.2)
Other	46.1(±21.9)
<b>Total</b>	<b>40.1(±9.4)</b>

† Ninety-five percent confidence interval.

**TABLE MS-6. Percentage of middle school students who report frequently using\* cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .**

<b>Frequent cigarette smoking</b>	
<b>Gender</b>	
Female	0.5(±0.4)†
Male	0.6(±0.6)
<b>Grade</b>	
Sixth	0.0(±0.0)
Seventh	0.6(±0.4)
Eighth	1.0(±1.2)
<b>Race/ethnicity</b>	
White	0.7(±0.7)
Black	0.0(±0.0)
Hispanic	0.8(±0.8)
Other	1.2(±1.5)
<b>Total</b>	<b>0.6(±0.4)</b>

\* Smoked cigarettes, on 20 of the 30 days preceding the survey

† Ninety-five percent confidence interval.

**TABLE MS-7. Percentage of middle school current smoking students who report their primary sources of cigarettes, by social source, direct purchase, and other sources: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region . (Note: Total is greater than 100% because students had the option to choose more than one answer.)**

<b>Current Smoker</b>	
<b>Social Sources:</b>	
Gave someone else money to buy them for me	25.6(±6.4)
Borrowed (or bummed) them from someone else	35.2(±13.8)
Someone gave them to me without me asking	12.3(±5.5)
<b>Direct Purchase:</b>	
Bought them in a store such as a convenience store, supermarket, discount store, or gas station	29.1(±8.2)
Bought them from a vending machine	2.3(±3.2)
Internet	2.9(±3.4)
<b>Other Sources:</b>	
Took them from store or family member	12.2(±7.2)
Got them some other way	34.2(±11.6)

† Ninety-five percent confidence interval.





**TABLE MS-8. Percentage of middle school students who report smoking intentions, perceptions about smoking, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .**

	Never smoked who will not try a cigarette soon	Never smoked who will not be smoking cigarettes during the next year	Never smoked who definitely will not smoke if one of their best friends offers them a cigarette	Have been told by at least one parent or guardian about not using any type of tobacco	Never smoked who think young people who smoke cigarettes have more friends	Never smokers who think smoking cigarettes makes young people look cool or fit in
Gender						
Female	98.5(±0.9)†	88.1(±2.7)	83.6(±2.8)	51.4(±3.7)	21.5(±4.6)	6.6(±2.5)
Male	98.8(±0.7)	87.0(±2.1)	81.1(±3.2)	51.6(±5.4)	17.9(±4.7)	8.9(±2.3)
Grade						
Sixth	99.4(±0.7)	92.7(±1.8)	88.4(±4.4)	52.8(±5.2)	17.3(±5.0)	7.1(±3.2)
Seventh	98.2(±1.2)	86.3(±4.1)	80.2(±4.5)	51.3(±5.1)	21.2(±3.4)	8.7(±3.0)
Eighth	98.2(±0.9)	82.3(±3.5)	77.3(±4.1)	50.1(±4.6)	21.0(±7.8)	7.5(±3.9)
Race/ethnicity						
White	99.2(±0.7)	87.7(±2.8)	83.4(±3.6)	48.7(±4.5)	13.6(±4.0)	6.1(±2.4)
Black	98.8(±0.8)	88.3(±2.8)	81.3(±3.4)	55.1(±6.1)	28.1(±5.3)	10.6(±3.0)
Hispanic	96.3(±2.1)	83.0(±4.3)	78.7(±4.3)	60.2(±6.3)	24.3(±4.8)	8.8(±4.1)
Other	97.4(±3.8)	89.8(±5.2)	85.8(±4.2)	46.0(±8.8)	20.2(±7.2)	2.9(±2.7)
<b>Total</b>	98.6(±0.5)	87.5(±1.8)	82.4(±2.3)	51.5(±3.1)	19.7(±4.1)	7.8(±2.1)

† Ninety-five percent confidence interval.

**TABLE MS-9. Percentage of middle school students who report media and advertising influence regarding tobacco , by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .**

	<b>Saw or heard anti-smoking commercials during the past 30 days</b>	<b>Watch TV or movies who see actors using tobacco (most or some of the time)</b>	<b>Use Internet and see Internet ads for tobacco products (most or some of the time)</b>	<b>Use Internet, watch TV, or go to movies who see (most or some of the time) ads for tobacco products</b>
<b>Gender</b>				
Female	71.0(±2.8)†	75.4(±3.8)	44.0(±4.2)	80.9(±3.8)
Male	64.9(±2.9)	76.9(±3.3)	34.7(±4.6)	79.9(±4.1)
<b>Grade</b>				
Sixth	68.2(±4.8)	69.3(±5.0)	35.9(±5.9)	74.7(±6.1)
Seventh	67.6(±3.9)	76.9(±3.4)	39.5(±4.0)	81.8(±3.0)
Eighth	67.9(±4.3)	82.4(±3.5)	42.5(±3.8)	84.9(±3.4)
<b>Race/ethnicity</b>				
White	67.8(±3.2)	74.3(±2.5)	38.0(±5.2)	78.9(±2.6)
Black	70.9(±4.9)	80.0(±3.9)	40.9(±5.3)	84.0(±4.2)
Hispanic	64.6(±3.9)	74.1(±6.2)	39.8(±5.3)	76.3(±4.9)
Other	64.4(±8.8)	79.2(±8.7)	43.1(±8.1)	85.6(±7.0)
<b>Total</b>	<b>67.9(±2.1)</b>	<b>76.1(±2.0)</b>	<b>39.3(±3.2)</b>	<b>80.4(±2.3)</b>

† Ninety-five percent confidence interval.

**TABLE MS-10. Percentage of middle school students who report exposure to anti-tobacco education in school in the past year, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .**

	<b>Were taught about the dangers of tobacco use at school</b>
<b>Gender</b>	
Female	53.2(±10.1)†
Male	47.8(±8.0)
<b>Grade</b>	
Sixth	44.4(±10.7)
Seventh	57.1(±7.0)
Eighth	49.8(±13.7)
<b>Race/ethnicity</b>	
White	52.1(±9.7)
Black	47.6(±8.2)
Hispanic	47.2(±9.7)
Other	62.5(±12.4)
<b>Total</b>	<b>50.5(±8.7)</b>

† Ninety-five percent confidence interval.



**TABLE MS-11. Percentage of middle school never smoking students who report they were in their home or a car with someone who was smoking on 1 of the past 7 days, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .**

	Home Exposure	Vehicle Exposure
Gender		
Female	20.9(±4.2)†	18.8(±4.6)†
Male	18.4(±4.5)	17.5(±4.2)
Grade		
Sixth	18.2(±4.5)	15.7(±4.4)
Seventh	21.6(±3.5)	20.5(±4.0)
Eighth	19.1(±5.8)	18.6(±5.4)
Race/ethnicity		
White	22.7(±6.0)	21.4(±6.3)
Black	17.8(±4.8)	16.3(±3.2)
Hispanic	12.6(±4.5)	10.0(±4.0)
Other	18.7(±9.7)	15.9(±7.0)
<b>Total</b>	<b>19.6(±3.8)</b>	<b>18.2(±3.6)</b>

† Ninety-five percent confidence interval.

**TABLE MS-12. Percentage of middle school current smoking students who report quitting perceptions, intention to quit and cessation practices, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .**

	<b>Who want to stop smoking cigarettes</b>	<b>Tried to quit during at least once in the past 12 months</b>	<b>When they last tried to quit, stayed off cigarettes for less than 30 days</b>
<b>Gender</b>			
Female	25.4(±17.2)†	67.7(±20.4)	53.2(±19.5)
Male	55.3(±20.2)	64.6(±18.7)	47.6(±12.7)
<b>Grade</b>			
Sixth	61.7(±24.6)	76.9(±20.5)	35.3(±24.8)
Seventh	39.1(±20.3)	80.0(±16.3)	47.5(±21.1)
Eighth	35.5(±11.8)	59.6(±13.0)	54.7(±18.0)
<b>Race/ethnicity</b>			
White	22.4(±13.8)	52.7(±15.5)	52.9(±17.6)
Black	74.1(±29.8)	94.2(±11.3)	49.1(±32.1)
Hispanic	29.7(±28.6)	59.0(±26.8)	59.0(±26.8)
Other	67.1(±43.5)	78.9(±32.9)	34.6(±31.4)
<b>Total</b>	<b>39.1(±11.3)</b>	<b>66.1(±11.4)</b>	<b>50.4(±11.1)</b>

† Ninety-five percent confidence interval.





**TABLE MS-13. Percentage of middle school never and current smoking students who report smoking perceptions, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .**

**“Think young people who smoke cigarettes have more friends”**

	<b>Never Smoker</b>	<b>Current Smoker</b>
Gender		
Female	21.5(±4.6)†	49.1(±16.6)
Male	17.9(±4.7)	52.6(±20.3)
Grade		
Sixth	17.3(±5.0)	78.5(±43.0)
Seventh	21.2(±3.4)	46.6(±19.1)
Eighth	21.0(±7.8)	47.7(±17.4)
Race/ethnicity		
White	13.6(±4.0)	44.2(±16.0)
Black	28.1(±5.3)	65.3(±28.3)
Hispanic	24.3(±4.8)	67.8(±24.9)
Other	20.2(±7.2)	47.5(±43.1)
<b>Total</b>	<b>19.7(±4.1)</b>	<b>50.9(±13.8)</b>

† Ninety-five percent confidence interval.

**TABLE HS-1. Percentage of high school students who report ever using\* any tobacco product (cigarettes, cigars, smokeless tobacco) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .**

	<b>Any tobacco</b>	<b>Cigarettes</b>	<b>Cigars</b>	<b>Smokeless tobacco</b>	<b>Pipes</b>	<b>Bidis/Kreteks</b>
<b>Gender</b>						
Female	43.4(±4.5) <sup>†</sup>	34.7(±5.1)	23.6(±3.8)	7.7(±1.6)	10.5(±2.0)	4.7(±1.6)
Male	50.9(±4.3)	39.4(±5.4)	32.7(±4.2)	19.6(±4.1)	15.6(±2.6)	8.8(±2.1)
<b>Grade</b>						
Ninth	36.0(±6.2)	27.2(±7.2)	19.1(±4.8)	8.6(±3.0)	7.9(±2.1)	4.3(±2.2)
Tenth	47.4(±7.6)	36.3(±8.9)	25.8(±5.8)	14.4(±3.4)	11.9(±2.9)	5.5(±1.9)
Eleventh	49.0(±6.9)	39.6(±6.7)	31.5(±5.8)	17.2(±5.1)	16.6(±4.2)	7.6(±3.2)
Twelfth	61.1(±6.1)	49.8(±6.8)	40.9(±5.9)	16.7(±4.7)	18.4(±4.8)	11.4(±3.2)
<b>Race/ethnicity</b>						
White	47.1(±5.0)	37.5(±6.0)	28.0(±4.6)	17.3(±4.7)	15.8(±2.2)	7.5(±2.3)
Black	46.6(±5.3)	34.8(±8.1)	28.2(±5.0)	9.0(±2.0)	7.7(±3.0)	5.1(±2.1)
Hispanic	49.5(±7.2)	43.4(±7.4)	30.7(±5.7)	10.3(±4.1)	15.6(±5.2)	8.0(±3.5)
Other	42.6(±12.6)	37.5(±12.3)	21.7(±8.8)	15.9(±8.2)	18.3(±8.5)	9.6(±7.3)
<b>Total</b>	<b>47.2(±3.7)</b>	<b>37.1(±4.4)</b>	<b>28.2(±3.3)</b>	<b>13.8(±2.7)</b>	<b>13.1(±1.6)</b>	<b>6.8(±1.6)</b>

\*Ever use of cigarettes was determined by asking, "Have you ever tried cigarette smoking, even one or two puffs?" Ever use of cigars was determined by asking, "Have you ever tried smoking cigars, cigarillos, or little cigars, even one or two puffs?" Ever use of smokeless tobacco was determined by asking, "Have you ever used chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?"

<sup>†</sup> Ninety-five percent confidence interval.

**TABLE HS-2. Percentage of high school students who report current use of any tobacco product (cigarettes, cigars, smokeless tobacco, pipes, or bidis) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .**

	<b>Any tobacco*</b>	<b>Cigarettes</b>	<b>Cigars</b>	<b>Smokeless tobacco</b>	<b>Pipes</b>	<b>Bidis</b>	<b>Kreteks</b>
<b>Gender</b>							
Female	16.0(±3.0)†	11.5(±2.4)	7.7(±1.9)	1.5(±1.0)	3.4(±1.1)	0.8(±0.5)	1.3(±0.4)
Male	24.6(±4.9)	16.7(±2.8)	13.1(±3.5)	7.5(±2.9)	5.6(±1.4)	2.3(±1.2)	4.2(±1.1)
<b>Grade</b>							
Ninth	13.2(±5.1)	8.2(±3.1)	6.4(±3.4)	2.4(±1.7)	3.8(±2.2)	1.3(±1.1)	2.1(±2.0)
Tenth	17.6(±5.4)	13.7(±5.2)	7.7(±3.1)	3.1(±1.0)	2.9(±1.5)	1.0(±0.6)	1.5(±1.1)
Eleventh	24.1(±4.3)	16.5(±4.3)	12.5(±3.2)	7.0(±3.2)	5.8(±2.0)	1.5(±1.1)	3.0(±1.6)
Twelfth	30.2(±6.1)	21.1(±6.1)	17.8(±4.2)	6.8(±4.3)	6.4(±2.2)	3.0(±1.7)	5.4(±2.4)
<b>Race/ethnicity</b>							
White	22.9(±4.0)	17.0(±3.0)	9.9(±2.6)	6.6(±2.5)	4.5(±1.1)	1.2(±0.8)	1.9(±1.0)
Black	15.4(±5.9)	10.0(±4.6)	10.1(±4.6)	1.3(±1.2)	2.6(±1.3)	0.7(±0.8)	2.6(±1.2)
Hispanic	22.4(±6.0)	14.6(±3.8)	13.2(±4.2)	4.1(±2.6)	10.2(±4.4)	4.7(±3.0)	6.3(±3.4)
Other	19.9(±9.4)	13.2(±7.0)	12.1(±6.6)	4.4(±4.1)	6.7(±3.8)	6.2(±4.5)	5.8(±4.9)
<b>Total</b>	<b>20.4(±3.4)</b>	<b>14.2(±2.0)</b>	<b>10.5(±2.3)</b>	<b>4.6(±1.8)</b>	<b>4.5(±0.9)</b>	<b>1.6(±0.7)</b>	<b>2.8(±0.7)</b>

\*Current use of cigarettes or cigars or smokeless tobacco or pipes or bidis or kreteks on 1 of the 30 days preceding the survey.

† Ninety-five percent confidence interval.

**TABLE HS-3. Percentage of high school students who report current use\* of emerging tobacco products: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .**

	<b>Current Use</b>
Roll-Your-Own Cigarettes	4.0(±0.7)†
Flavored Cigarettes	6.5(±1.5)
Clove Cigars	1.4(±0.4)
Flavored Little Cigars	5.0(±1.8)
Hookah/Waterpipe	4.1(±1.2)
Snus	2.0(±0.6)
Dissolvables (e.g. orbs, strips, sticks)	0.6(±0.4)
Electronic Cigarettes	1.3(±0.5)
Other new product	2.8(±0.7)
Percent of current smokers using at least one of the above products	71.0(±6.6)

\*Current use defined as use on one or more of the past 30 days.)

† Ninety-five percent confidence interval.

**TABLE HS-4. Percentage of high school students who report first using\* cigarettes before 11 years of age and ever smoking 100 cigarettes in their lifetime, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .**

	Ever smokers who smoked first whole cigarette before age 11	Ever smokers who smoked 100+ cigarettes in their lifetime
Gender		
Female	13.2(±4.0) <sup>†</sup>	15.7(±5.1)
Male	17.6(±4.9)	21.7(±5.0)
Grade		
Ninth	22.2(±9.2)	6.2(±3.9)
Tenth	14.7(±4.8)	17.8(±5.5)
Eleventh	14.2(±3.0)	23.5(±9.3)
Twelfth	12.7(±5.7)	26.3(±8.3)
Race/ethnicity		
White	13.9(±2.9)	24.5(±5.7)
Black	14.4(±7.2)	11.8(±4.8)
Hispanic	24.8(±8.7)	15.5(±6.7)
Other	25.1(±14.9)	16.9(±11.1)
<b>Total</b>	<b>15.7(±3.4)</b>	<b>19.0(±3.6)</b>

\*Age of initiation was determined by asking students these questions: "How old were you when you smoked a whole cigarette for the first time?"

<sup>†</sup> Ninety-five percent confidence interval.

**TABLE HS-5. Percentage of high school students who are current smokers who report usually smoking menthol cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .**

	Usually smokes menthol cigarettes
Gender	
Female	55.6(±12.8) <sup>†</sup>
Male	45.0(±7.5)
Grade	
Ninth	44.1(±17.3)
Tenth	53.5(±11.6)
Eleventh	54.2(±12.2)
Twelfth	44.1(±13.4)
Race/ethnicity	
White	55.4(±6.2)
Black	32.6(±16.9)
Hispanic	55.9(±17.0)
Other	45.5(±36.3)
<b>Total</b>	<b>49.2(±8.3)</b>

<sup>†</sup> Ninety-five percent confidence interval.

**TABLE HS-6. Percentage of high school students who report frequently using\* cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .**

<b>Frequent cigarette smoking</b>	
<b>Gender</b>	
Female	3.7(±1.4)†
Male	5.6(±1.8)
<b>Grade</b>	
Ninth	1.1(±1.1)
Tenth	4.6(±2.0)
Eleventh	5.2(±2.9)
Twelfth	9.6(±3.8)
<b>Race/ethnicity</b>	
White	5.5(±1.8)
Black	3.4(±2.0)
Hispanic	5.2(±2.0)
Other	4.6(±4.7)
<b>Total</b>	<b>4.7(±1.1)</b>

\* Smoked cigarettes, on 20 of the 30 days preceding the survey

† Ninety-five percent confidence interval.

**TABLE HS-7. Percentage of high school current smoking students who report their primary sources of cigarettes, by social source, direct purchase, and other sources: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region . (Note: Total is greater than 100% because students had the option to choose more than one answer.)**

<b>Current Smoker</b>	
<b>Social Sources:</b>	
Gave someone else money to buy them for me	28.1(±5.8)†
Borrowed (or bummed) them from someone else	25.9(±7.0)
Someone else gave them to me without me asking	12.9(±5.5)
<b>Direct Purchase:</b>	
Bought them in a store such as a convenience store, supermarket, drug store, or gas station	51.0(±8.1)
Bought them from a vending machine	0.8(±1.0)
Bought them from Internet	0.4(±0.9)
<b>Other Sources:</b>	
Took them from store or family member	3.1(±2.0)
Got them some other way	15.7(±)3.5

† Ninety-five percent confidence interval.

**TABLE HS-8. Percentage of high school students who report smoking intentions and perceptions about smoking to initiate smoking, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .**

	Never smoked who will not try a cigarette soon	Never smoked who will definitely not smoke cigarettes during the next year	Never smoked who think they will definitely not smoke if one of their best friends offers them a cigarette	Never smoked who have discussed with parent (or guardian) about not using any type of tobacco product	Never smoked who think young people who smoke cigarettes have more friends	Never smoked who think smoking cigarettes makes young people look cool or fit in
Gender						
Female	97.9(±1.3)†	83.4(±3.6)	77.5(±3.4)	39.3(±4.1)	19.9(±4.4)	4.6(±1.5)
Male	98.1(±1.3)	80.9(±3.9)	79.1(±4.8)	45.2(±5.5)	21.9(±4.7)	9.0(±3.1)
Grade						
Ninth	97.9(±1.9)	79.0(±3.3)	76.3(±3.4)	45.8(±8.2)	18.9(±4.8)	6.2(±2.3)
Tenth	98.3(±1.1)	83.5(±2.9)	77.3(±6.1)	48.3(±7.4)	23.8(±6.2)	8.1(±3.2)
Eleventh	97.0(±2.7)	84.7(±3.3)	80.6(±3.5)	36.7(±4.9)	20.7(±5.4)	7.5(±3.6)
Twelfth	99.0(±1.2)	83.0(±8.2)	80.9(±6.7)	32.2(±8.9)	20.7(±4.9)	4.8(±4.3)
Race/ethnicity						
White	97.7(±1.4)	80.4(±3.4)	75.9(±4.0)	40.1(±6.0)	13.9(±3.3)	4.4(±2.0)
Black	98.7(±1.3)	85.4(±4.3)	83.1(±4.5)	45.2(±6.7)	28.4(±5.3)	9.8(±3.1)
Hispanic	95.5(±3.6)	76.6(±6.5)	73.2(±6.0)	42.1(±8.2)	30.7(±9.2)	8.9(±6.2)
Other	100.0(±0.0)	87.0(±10.2)	77.2(±9.4)	43.2(±13.2)	23.6(±14.2)	1.8(±3.4)
<b>Total</b>	<b>98.0(±1.0)</b>	<b>82.1(±2.6)</b>	<b>78.3(±3.1)</b>	<b>42.2(±4.3)</b>	<b>20.9(±3.8)</b>	<b>6.7(±2.0)</b>

\* Students were considered not susceptible if they answered, "No, will not try a cigarette soon" and "Definitely no, will not smoke in the next year" and "Definitely no, would not smoke if best friend offered." All other students were considered susceptible.

† Ninety-five percent confidence interval.

**TABLE HS-9. Percentage of high school students who report media and advertising influence regarding tobacco and receptivity to tobacco advertising\*, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .**

	Saw or heard anti-smoking commercials during the past 30 days	Watch TV or movies who see actors using tobacco (most or some of the time)	Use Internet and see Internet ads for tobacco products (most or some of the time)	Use Internet, watch TV, or go to movies who see (most or some of the time) ads for tobacco products
<b>Gender</b>				
Female	71.0(±3.3) <sup>†</sup>	86.2(±1.7)	40.9(±4.5)	89.9(±2.0)
Male	70.4(±4.7)	82.1(±2.9)	36.3(±3.2)	85.1(±2.7)
<b>Grade</b>				
Ninth	69.3(±4.9)	82.5(±3.7)	41.8(±4.0)	86.2(±3.8)
Tenth	73.6(±6.1)	84.0(±3.4)	40.7(±5.2)	90.0(±2.0)
Eleventh	70.9(±3.8)	86.2(±4.3)	36.7(±5.0)	87.8(±3.8)
Twelfth	69.1(±4.9)	84.6(±3.7)	33.3(±6.3)	85.7(±3.7)
<b>Race/ethnicity</b>				
White	72.0(±3.9)	83.3(±2.3)	36.8(±3.8)	86.6(±2.2)
Black	70.5(±5.1)	86.7(±3.9)	38.8(±3.7)	89.3(±2.6)
Hispanic	65.3(±6.6)	83.2(±5.2)	47.9(±5.3)	87.9(±4.3)
Other	69.0(±8.9)	81.4(±6.5)	41.6(±8.9)	89.5(±6.2)
<b>Total</b>	<b>70.7(±3.2)</b>	<b>84.2(±1.6)</b>	<b>38.6(±2.4)</b>	<b>87.5(±1.6)</b>

\* The percentage of students who received anything with a tobacco company name or picture on it AND who would (Definitely Yes or Probably Yes) use or wear something with a tobacco company name or picture on it.

<sup>†</sup> Ninety-five percent confidence interval.



**TABLE HS-10. Percentage of high school students who report exposure to anti-tobacco education in school or community in the past year, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .**

	<b>Were taught about the dangers of tobacco use at school</b>
<b>Gender</b>	
Female	31.5(±5.0) <sup>†</sup>
Male	29.9(±4.0)
<b>Grade</b>	
Ninth	41.8(±6.1)
Tenth	34.7(±5.3)
Eleventh	25.0(±4.1)
Twelfth	16.0(±4.4)
<b>Race/ethnicity</b>	
White	29.0(±5.1)
Black	30.5(±6.0)
Hispanic	38.7(±7.1)
Other	33.8(±10.1)
<b>Total</b>	<b>30.6(±4.0)</b>

<sup>†</sup> Ninety-five percent confidence interval.

**TABLE HS-11. Percentage of high school never smoking students who report they were in their home or a car with someone who was smoking on 1 of the past 7 days, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .**

	Home Exposure	Vehicle Exposure
<b>Gender</b>		
Female	15.7(±4.6) <sup>†</sup>	17.7(±4.7)
Male	14.2(±4.5)	16.0(±3.8)
<b>Grade</b>		
Ninth	17.1(±5.3)	17.3(±3.8)
Tenth	18.7(±5.2)	19.1(±6.1)
Eleventh	12.0(±6.9)	15.1(±5.9)
Twelfth	8.9(±6.6)	14.8(±8.6)
<b>Race/ethnicity</b>		
White	15.3(±4.8)	16.5(±4.1)
Black	15.5(±5.8)	19.1(±6.0)
Hispanic	12.0(±5.1)	14.3(±5.9)
Other	10.8(±7.6)	4.9(±6.2)
<b>Total</b>	<b>15.0(±3.8)</b>	<b>16.9(±3.6)</b>

<sup>†</sup> Ninety-five percent confidence interval.

**TABLE HS-12. Percentage of high school current smoking students who report quitting perceptions, intention to quit and cessation practices, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .**

	<b>Who want to stop smoking cigarettes</b>	<b>Tried to quit at least once in the past 12 months</b>	<b>When they last tried to quit, stayed off cigarettes for less than 30 days</b>
<b>Gender</b>			
Female	51.4(±11.2) <sup>†</sup>	62.8(±9.4)	34.8(±8.7)
Male	39.0(±10.4)	68.7(±9.4)	39.7(±10.4)
<b>Grade</b>			
Ninth	42.2(±21.6)	81.4(±15.3)	31.2(±18.0)
Tenth	55.4(±8.1)	65.3(±6.3)	38.8(±6.6)
Eleventh	36.2(±15.1)	67.2(±16.1)	42.7(±16.4)
Twelfth	40.1(±14.5)	55.8(±14.7)	35.6(±11.9)
<b>Race/ethnicity</b>			
White	45.2(±9.2)	65.4(±7.7)	38.2(±9.1)
Black	49.5(±15.0)	64.7(±17.3)	37.5(±16.0)
Hispanic	16.0(±14.2)	72.3(±13.3)	22.9(±13.4)
Other	40.9(±32.4)	63.2(±27.7)	52.6(±23.5)
<b>Total</b>	<b>43.8(±7.2)</b>	<b>66.1(±6.9)</b>	<b>37.5(±6.9)</b>

<sup>†</sup> Ninety-five percent confidence interval.



**TABLE HS-13. Percentage of high school never and current smoking students who report smoking perceptions, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 2/ Central Region .**

**“Think young people who smoke cigarettes have more friends.”**

	<b>Never Smoker</b>	<b>Current Smoker</b>
<b>Gender</b>		
Female	19.9(±4.4) <sup>†</sup>	31.4(±10.0)
Male	21.9(±4.7)	44.7(±8.0)
<b>Grade</b>		
Ninth	18.9(±4.8)	40.9(±20.6)
Tenth	23.8(±6.2)	38.4(±15.0)
Eleventh	20.7(±5.4)	34.4(±10.3)
Twelfth	20.7(±4.9)	44.2(±15.3)
<b>Race/ethnicity</b>		
White	13.9(±3.3)	36.7(±6.7)
Black	28.4(±5.3)	48.1(±20.8)
Hispanic	30.7(±9.2)	28.3(±17.8)
Other	23.6(±14.2)	46.2(±25.0)
<b>Total</b>	<b>20.9(±3.8)</b>	<b>39.5(±7.1)</b>

<sup>†</sup> Ninety-five percent confidence interval.